

PowerFlex 750-Series AC Drives

Original Instructions



Topic	Page
Summary of Changes	2
Additional Resources	2
Product Overview	3
Certifications and Specifications	8
Design Considerations	14
Fuse and Circuit Breaker Ratings	52
Cable Considerations	80
Motor Considerations	82
Dimensions and Weights	85
Drive Options	145





Summary of Changes

This publication contains new and updated information as indicated in the following table.

Торіс	Page
Added Code B — 240V AC (208V AC)/ 325V DC (281V DC) and normal duty ratings for 208V and 240V, 60 Hz Input to the Catalog Number Explanation table	5
Added a 208/240V AC column to the Altitude Limit Above Sea Level section of the Environmental Specifications table	9
Added 200/208V ACand 240V AC columns to the Motor Voltage section of the Technical Specifications table	11
Added a 200240 Drive Rating row to the Input Voltage Tolerance table	14
Added a Watts Loss for 208/240V AC Drives table	15
Added Ambient Temperature/Load and Altitude/Load for 208V AC and 240V AC tables	1926
Added a Brake Resistance for 208/240V AC Drives table	48
Added 208V AC, 281V DC and 240V AC, 324V DC Input Protection Devices tables	5456
Added a 208V AC and 240V AC table to the section that describes frame and rating cross-references	85
Added a 230V, 60 Hz, Three-phase, 230V Primary and 230V Secondary table	161
Added a 200240V, 60 Hz, Three-phase, 3%, and 5% Impedance table	162, 163

Additional Resources

These documents contain additional information concerning related products from Rockwell Automation.

Resource	Description
PowerFlex 750-Series Drive Installation Instructions, publication 750-IN001	Provides detailed information on how to install PowerFlex® 750-Series AC drives.
PowerFlex 750-Series Programming Manual, publication 750-PM001	Provides detailed information on I/O, control, and feedback options; parameters and programming; faults, alarms, and troubleshooting.
PowerFlex 20-HIM-A6 and 20-HIM-C6S HIM (Human Interface Module) User Manual, publication 20HIM-UM001	Provides detailed information on HIM components, operation, and features.
PowerFlex 755 Integrated Safety - Safe Torque Off Option Module User Manual, publication <u>750-UM004</u>	Provides detailed information on how to install and use the Integrated Safety - Safe Torque Off option module.
PowerFlex 750-Series Safe Torque Off User Manual, publication 750-UM002	Provides detailed information on how to install and use the Safe Torque Off option module.
Safe Speed Monitor Option Module for PowerFlex 750-Series AC Drives Safety Reference Manual, publication 750-RM001	Provides detailed information on how to install and use the Safe Speed Monitor option module.
PowerFlex 7-Class Network Communication Adapter User Manuals, publication 750COM-UM	These publications provide detailed information on to configure, use, and troubleshoot PowerFlex 750-Series communication option modules and adapters. To display a list of the available adapters, enter 750com-um in the search field.
PowerFlex Dynamic Braking Resistor Calculator Application Technique, publication PFLEX-AT001	Provides information to help you understand dynamic braking and how to apply dynamic braking to drive systems.
Wiring and Grounding Guidelines for PWM AC Drives, publication <u>DRIVES-IN001</u>	Provides basic information to properly wire and ground PWM AC drives.
Preventive Maintenance of Industrial Control and Drive System Equipment Service Bulletin, publication DRIVES-TD001	Provides information for preventative maintenance and periodic inspection of drive systems.
Safety Guidelines for the Application, Installation, and Maintenance of Solid-State Control, publication SGI-1.1	Provides general guidelines for the application, installation, and maintenance of solid-state control.
Industrial Automation Wiring and Grounding Guidelines, publication 1770-4.1	Provides general guidelines for installing a Rockwell Automation industrial system.
Product Certifications website, http://www.rockwellautomation.com/global/certification/overview.page	Provides declarations of conformity, certificates, and other certification details.


You can view or download publications at http://www.rockwellautomation.com/global/literature-library/overview.page. To order paper copies of technical documentation, contact your local Allen-Bradley distributor or Rockwell Automation sales representative.

Product Overview

The PowerFlex 750-Series is a robust family of AC drives that provide ease of use, flexibility, and performance for various industrial applications. PowerFlex 753 drives provide general-purpose control for applications up to 400 Hp and 270 kW. PowerFlex 755 drives provide maximum flexibility and performance up to 2000 Hp and 1500 kW.

Maximize your productivity by taking advantage of these key features that are offered in the PowerFlex 750-Series drives:

• **DeviceLogix**™ – Embedded control technology that supports the manipulation of discrete outputs and drive control functions, while using discrete inputs and drive status information onboard the drive.



- Option Cards Each drive has a slot-based architecture. Supported hardware control options are available for both products, to help reduce your inventory and spare parts requirements.
- Safe Torque Off, Safe Speed Monitor, and Integrated Safety Safe Torque Off Provides a choice for safety levels depending on your application requirements.
- Communication The PowerFlex 755 drives come with a built-in Ethernet port. Ethernet can easily be added to the PowerFlex 753 drives with a communication module.
- I/O Option cards are available for additional analog and digital I/O. The PowerFlex 753 drives come with built-in I/O that can also be expanded with option cards.
- Packaging Factory and field-installable enclosure options are available to meet most environmental requirements. Options include Open Type and flange mount to support cabinet mount requirements, extra protection wall-mount for harsh environments, and debris hoods and conduit plate kits.
- **Standard Power Structure** A common power structure is shared to provide the same physical size and power range.

